
866.332.2403; Outside the US: 619.600.5630 7am-7pm Pacific Time, Monday-Saturday





Assembly Instructions for: **ALAN'S BENCHES**



Thank you for purchasing Forever Redwood patio furniture. Forever Redwood is built by Old-Growth Again Restoration Forestry (OGA). OGA is dedicated to restoration forestry. Sales of patio furniture finance our restoration work in California redwood forestlands.


Tools required: ½-inch ratchet and a mallet or small hammer.

Content of boxes:


Quantity	Description	Drawing
1	Seat	
1	Backrest	
1	Seat Support	
2	Sides	
10	Carriage Bolts 3 ½" x 5/16", Washers and Nuts	
2	Carriage Bolts 4 ½" x 5/16", Washers and Nuts	

Unpack your bench and make sure you have all the parts. The parts that go together have the same numbers written next to the predrilled holes they attach to. Align the parts with the numbers as shown for ease of reference.


Step 1: Attach sides to seat, with two carriage bolts (3 1/2" x 5/16"), washers & nuts per side. Match the number written on each piece. Tap the bolt all the way into the wood to set it. Then add a washer and nut and lightly tighten.




Step 2: Attach support seat to front side of seat with two carriage bolts (4 1/2" x 5/16"), washers & nuts. Tap the bolt all the way into the wood to set it. Then add a washer and nut and lightly tighten.



Step 3: Attach support seat to sides with 1 carriage bolt (3 1/2" x 5/16"), washer & nut per side. Tap the bolt all the way into the wood to set it. Then add a washer and nut and lightly tighten.



Step 4: Attach backrest to sides with 2 carriage bolts (3 1/2" x 5/16"), washers & nuts per side. Match the numbers written next to the predrilled holes on each piece. Tap the bolt all the way into the wood to set it. Then add a washer and nut and lightly tighten.



Thank you. If you have any questions, please call or email us.