


866.332.2403 (TOLL FREE); 7am – 7pm Pacific Time, Monday-Saturday

ASSEMBLY INSTRUCTIONS FOR THE LIGHTHOUSE WOODEN SHOWER BENCH






Note: Part numbers in the Content of Boxes Table are for reference only. These do not match to the numbers marked on the parts sent.


	No.	A	В
HARDWARE LIST	Drawing		
	Description	5/16" X 3 1/2" Bolts (To attach the legs to the seat).	2 1/2" Deck Screws (To attach the diagonal supports to the seat and to the legs).

Note: Dimensions of your hardware will vary depending on size.




P| 2

Step 1: Place the seat upside down. After that, use $5/16^{\prime\prime}$ x $3\frac{1}{2}^{\prime\prime}$ bolts (A) to attach the legs (2) to the seat (1). Each part has a series of numbers that indicate where to attach the part with the corresponding number.



Step 2: Attach the diagonal supports (3) to the seat and to the legs with $2\frac{1}{2}$ " deck screws (B). Each part has a series of numbers that indicate where to attach the part with the corresponding number.



Step 3: Finally, turn the Bench over is feet.



This completes the Bench Assembly. Hope you enjoy your set for many decades. If you ever have a problem or a question, don't hesitate to call us (866 332 2403) or email us. We are here to support you.