



FOREVER REDWOOD




From the Forest, For the Forest since 1995

866.332.2403 (TOLL FREE); 7am – 7pm Pacific Time, Monday-Saturday

ASSEMBLY INSTRUCTIONS FOR THE JHOOLA DAY BED SWING SETS












CONTENT OF BOXES – Bed Swing				
Qty.	Description	Drawing		No.
1	Bed			1
Will Vary.	Jhoola or Day Bed Headboard. If ordered			2
		Jhoola	Day Bed	











Note: Part numbers in the Content of Boxes Table are for reference only. These do not match to the numbers marked on the parts sent.



CONTENT OF BOXES - Frame Swing			
Qty.	Description	Drawing	No.
2	Posts If ordered		3
2	Legs If ordered		4
1	Supports If ordered		5
4	Diagonal Supports If ordered		6
4	Roof Supports If ordered		7
2	Roof Panel If ordered		8
1	Roof Board If ordered		9


Note: Part numbers in the Content of Boxes Table are for reference only. These do not match to the numbers marked on the parts sent.



HARDWARE LIST		
Description		No.
5/16'' X 3 1/2'' Bolts (To attach the headboards to the bed. / To attach the support to the posts).		A
3/8'' X 7'' Bolts (To attach the post to the legs).		B
3/8'' X 10'' Bolts (To attach the post to the legs. / To attach the diagonal supports to the posts and to the supports).		C
5/16'' X 5 1/2'' Bolts (To attach the roof supports to the posts).		D
5/16'' X 4'' Bolts (To attach the roof panels to the roof supports).		E
3'' Deck Screws (To attach the roof panels to the diagonal supports).		F
2'' Deck Screws (To attach the roof board to the posts).		G
Quick Links		H
Springs		I
Chains		J

Note: Dimensions of your hardware will vary depending on size.


DESCRIPTION	No
Bed	1
Headboards	2
Posts	3
Legs	4
Supports	5
Diagonal Supports	6
Roof Supports	7
Roof Panel	8
Roof Board	9



Note: Part numbers in the Drawing are for reference only. These do not match to the numbers marked on the parts sent.


Option A – Seat Only

Step 1: Attach the headboard (2) to the bed (1) with 5/16" x 3 1/2" bolts (A). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




Option B – Frame without Roof Included


Step 2: Attach the post (3) to the legs (4) with 3/8" x 7" bolts (B) and 3/8" x 10" bolts (C). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




Step 3: Put the Quick Links (**H**) and the Springs (**I**) in the hanger's support. After that, put the chains (**J**). Take a few minutes to adjust the chain height to your preference.



Step 4: Use 5/16" x 3 1/2" bolts (**A**) to attach the support (**5**) to the posts. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




Step 5: Attach the diagonal supports (6) to the posts and to the support with 3/8" x 7" bolts (B). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




***Note:** If your Swing Set doesn't include roof, then go to **step 9**.*

Option C – Frame with Roof Include


Step 6: Attach the roof supports (7) to the posts with 5/16" x 5 1/2" bolts (D). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




Step 7: Attach the roof panels (8) to the roof supports with 5/16" x 4" bolts (E) and to the diagonal supports with 3" deck screws (F). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




Step 8: Use 2" deck screws (G) to attach the roof board (9) to the posts. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




Step 9: Finally, use quick links (**H**) to joining the bed swing to the chains (**J**).




Option A – Seat Only



Option B – Frame without Roof Included



Option C – Frame with Roof Included





This completes the Swing assembly. Hope you enjoy your set for many decades. If you ever have a problem or a question, don't hesitate to call us (866 332 2403) or email us. We are here to support you.