


866.332.2403 (TOLL FREE); 7am – 7pm Pacific Time, Monday-Saturday

## ASSEMBLY INSTRUCTIONS FOR THE ST. ANTHONY'S FACE TO FACE GLIDERS EXTRA WIDE



	No.	1	2	3	4	5	9	7	8	6
CONTENT OF BOXES	Drawing							lacktriangledown		
	Description	Legs	Top Leg Support	Base Leg Support (Long side)	Base Leg Supports (Short sides)	Internal Knee Braces	Roof Frame	Straps	External Knee Braces	Floor
	Qty.	4	2	2	1	4	1	4	4	1

Note: Part numbers in the Content of Boxes Table are for reference only. These do not match to the numbers marked on the parts sent.


	No.	10	11	12	13	14	15	16	17	18
CONTENT OF BOXES	Drawing									
	Description	Benches	Long Bench Supports	Short Bench Supports	Bench Backrests	Bench Arms	Covers	Roof Panels	Slat	Arms
	Qty.	2	4	4	2	4	2	2	1	4

Note: Part numbers in the Content of Boxes Table are for reference only. These do not match to the numbers marked on the parts sent.

	No.	Ą	В	C	D	日	II	Ð	Н
HARDWARE LIST	Drawing								
	Description	5/16′′ X 3 ½′′ Bolts  (To attach the legs to the leg supports. / To attach the external knee braces t the roof frame. / To attach the long bench supports to the benches. / To attach the benches to the straps. / To attach the short bench supports to the benches and to the straps. / To attach the backrests to the long bench supports. / To attach the bench arms to the straps and to the benches.).	3/8′′ X 7′′ Bolts (To attach the internal knee braces to the legs and to the leg support).	3/8′ X 10′ Bolts (To attach the legs and the straps to the roof frame).	5/16" X 5 ½" Bolts (To attach the external knee braces to the legs. / To attach the leg support to the legs. / To attach the covers to the roof frame).	5/16 X 4" Bolts (To attach the base leg supports together).	5/16′ X 4 ½′′ Bolts (To attach the roof panels to the covers. / To attach the arms to the roof frame).	3/8′′ X 6 ½′′ Bolts (To attach the floor to the straps. / To attach the arms to the roof frame).	$2 \frac{1}{2}$ $\square$ Deck Screws (To attach the slat to the roof panels).

Note: Dimensions of your hardware will vary depending on size.


DESCRIPTION	No
Legs	П
Top Leg Support	2
Base Leg Support (Long Side)	3
Base Leg Support (Short Side)	4
Internal Knee Braces	5
Roof Frame	9
Straps	7
External Knee Braces	8
Floor	6
Bench Seats	10
Bench Supports	11
Bench Backrests	12
Bench Arms	13
Covers	14
Roof Panels	15
Slat	16
Arms	17




P| 4

reference only. These do not match to the numbers marked on the parts sent.


**Step 1:** Attach the legs (1) to the top leg support (2) with  $5/16^{\prime\prime}$  x  $3\frac{1}{2}^{\prime\prime}$  bolts (A). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 2:** Use 3/8" x 7" bolts (**B**) to attach the internal knee braces (**5**) to the legs and to the top leg support. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 3:** Use 3/8" x 10" bolts (**C**) to attach the frame legs to the roof frame (**6**). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 4:** Use 3/8" x 10" bolts **(C)** to attach the straps **(7)** to the roof frame and to the frame legs. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 5:** Attach the external knee braces (8) to the roof frame with  $5/16^{\prime\prime}$  x  $3\frac{1}{2}^{\prime\prime}$  bolts (A). After that, attach to the frame legs with  $5/16^{\prime\prime}$  x  $5\frac{1}{2}^{\prime\prime}$  bolts (D). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 6:** Assemble the base leg support (3,4) with 5/16" x 4" bolts (E), as shown Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 7:** Use  $5/16^{\prime\prime}$  x  $5\frac{1}{2}^{\prime\prime}$  bolts (**D**) to attach the base leg support to the frame legs. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 8:** Attach the floor (9) to the straps with 3/8" x 6  $\frac{1}{2}$ " bolts (G). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 9:** Use 5/16 ' x  $3\frac{1}{2}$  ' bolts (A) to attach the long bench supports (11) to the bench (10). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 10:** Use 5/16" x 3 ½" bolts (**A**) to attach the bench (**10**) to the straps. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 11:** Attach the short bench supports (12) to the bench and to the straps with 5/16 x  $3\frac{1}{2}$  bolts (A). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 12:** Attach the backrests (13) to the long bench supports 5/16" x 3 ½" bolts (A). Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 13:** Use 5/16" x 3 ½" bolts (A) to attach the bench arms (14) to the straps and to the bench. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 14:** Use 5/16 'x  $5\frac{1}{2}$ ' bolts **(D)** to attach the covers **(15)** to the roof frame. Each part has a series of numbers that indicate where to attach the part with the corresponding number.




**Step 15:** Attach the roof panels (16) to the covers with  $5/16^{\prime\prime}$  x  $4\frac{1}{2}^{\prime\prime}$  bolts (F). Each part has a series of numbers that indicate where to attach the part with the corresponding number.



**Step 16:** Attach the slat (17) to the roof panels with 2 ½ ' deck screws (H). Each part has a series of numbers that indicate where to attach the part with the corresponding number.



**Step 17:** Finally, use 3/8 'x  $6\frac{1}{2}$ ' bolts (**G**) and 5/16 'x  $4\frac{1}{2}$ ' bolts (**F**) to attach the arms (**18**) to the roof frame. Each part has a series of numbers that indicate where to attach the part with the corresponding number.





This completes the Glider assembly. Hope you enjoy your set for many decades. If you ever have a problem or a question, don't hesitate to call us (866 332 2403) or email us. We are here to support you.