



FOREVER REDWOOD

From the Forest, For the Forest since 1995

866.332.2403 (TOLL FREE); 7am – 7pm Pacific Time, Monday-Saturday

ATTACHED PAVILION KIT



CONTENT

I.	DESCRIPTION	2
II.	SPECIFICATIONS	3
A.	Dimensions, Drawings, Design & Specifications	3
B.	Pavilion Roof Style	5
C.	Privacy Panels Styles.....	6
1.	You can add Lattice Privacy Panels to your Pergola or Pavilion:.....	6
2.	You can add Shutter Panels to your Pergola or Pavilion:.....	7
3.	You can add Louvered Panels for you Pergola or Pavilion:.....	8
D.	Pavilion Height (Post size)	9
E.	Electrical Wiring Trim Kit	9
F.	Pavilion Post Anchoring.....	10
1.	Option 1: Standard Anchor Kit.....	10
2.	Option 2: Gale-Wind Anchor Kit	13
3.	Option 3: Hurricane Wind Anchor Kit	14
G.	Post Decorative Trim.....	15
H.	Ceiling Fan Base	16
I.	Curtain Rods.....	17
J.	Privacy Panels Quantity	18
1.	Lattice Privacy Panels.....	19
2.	Shutter Privacy Panels	20
3.	Louver Privacy Panels	20
K.	Finish Options	21
III.	ASSEMBLY & CARE.....	24
IV.	MATERIALS	26
V.	WARRANTY	26
VI.	SHIPPING.....	27

I. DESCRIPTION

Use this Redwood Pavilion Kit to attach to your house, and expand your living space, dining space, and even exercise area. Our Attached Pavilion Kits are made with only the finest wood available, all from timber that's been restored from already forested trees. Not only does this Attached Pavilion keep out the elements, it also has unmatched aesthetics, created by world-class craftsmanship, and quality design.

- **Built your Way, your Size: An Attached Pavilion kit goes up in 1 day.** Just choose the width and length from the standard sizes in the Build It Your Way section to the right of the main photo above. Then check out the wood grade and the More Options button or [let us know](#) if you are going custom in any way.
- **Built to Last:** We overbuild and use the best materials in the industry. No need to worry about wind, snow and/or humid climates. We offer up to 30 year warranties.
- **Easy Design/Sizing Support:** Complete drawings are emailed within 3 days. Drawings help you easily see what works and what needs adjusting so you do not have to figure it all out before ordering. We encourage you to take time with our design specialists until you are certain every detail is perfect.
- **You Install or We Install?** Your Pavilion kit is fully erected in the shop for easy re-assembly and all hardware is included. Just bolt the pieces back together. Depending on size, most kits go back up in 1 day with one helper. And, if you want us to do it, we'll send a team anywhere in the U.S. to install for you.
- **Roof Options:** The kits come complete and finely finished except for the final roofing skin. Depending on the design you elect, you can add an Asphalt Shingle roof or a Metal roof. If you would like to add a Tile roof, this is also an option, but you will have to further beef up the structure to hold the added weight long term.
- **Financing Help:** We can build quickly, but we recommend ordering your [outdoor pavilion kit](#) 2 to 3 months in advance to give you time to get everything just right via the drawings. You can also choose our 1/3rd deposit option at checkout to not tie up cash up front and make 3 monthly payments.



Questions? - [Download](#) the eBook "Everything you Wanted to Know about Pergolas & Pavilions" for answers to frequently asked questions or please contact our [Pavilion Advisor](#).

You can easily assemble our Attached Pavilion Kit at home, in less than a day, using our sturdy, easily snapped together pieces. The wood is treated to withstand all types of outdoor conditions, and we can customize measurements to match whatever size or dimensions you want. The best part is, our Attached Pavilion kits, like all of our products, are guaranteed up to 30 years!


II. SPECIFICATIONS

A. Dimensions, Drawings, Design & Specifications


Lifestyle Pavilions are available in lengths from 10' to 40' and widths from 8' to 24'. We can customize our pavilions to suit your needs. Just tell us what size and what options you want. Prior to building any Pavilion, we provide our customers with a detailed drawing based on their proposed features (see samples below). This lets you review any choices made and make any needed adjustments before it is built. Drawings are a great way to make certain all details have been considered and that your Pavilion will be exactly what you dreamed of.



Del Norte Pavilions are available in lengths from 10' to 40' and widths from 8' to 24'. The length and width are the overall roof measurements. The standard roof overhang is 12".





Del Norte Outdoor Kitchen Pavilion Dimensions Example - Front View




Del Norte Outdoor Kitchen Pavilion Dimensions Example – Side View

Solid Timber Blocking

For additional long-term structural strength, we add solid timber blocking in-between the dual support timbers as shown in the drawing below. With this blocking, the dual supports are in effect converted into one solid 5 3/4-inch x 6 1/2 inch or 7 1/4-inch x 6 1/2-inch timber as shown below:



B. Pavilion Roof Style




C. Privacy Panels Styles

If you need additional shading or privacy for the sides of your Pergola or Pavilion, we have several options you can choose from. And, if you do not see an option you are interested in, let us know during the drawing process of your order and we can help design a custom privacy option of your own creation.

Some of our more popular privacy options can be applied to one side or several. They can be half walled or full wall for maximum privacy. You can add the half wall options anywhere you like: top, bottom or halfway. Yes, you are in charge of the final design details 100%:

1. You can add Lattice Privacy Panels to your Pergola or Pavilion:

The lattice is normally made with 1 ¾" W slats with 1 ¾" W openings that are diagonal. We offer you several options with the Lattice Privacy Panels:



- Lattice Privacy Panels can be up to 48" H each. If you prefer a shorter height, just let us know in the comment box at checkout. If you want to have privacy panels from the roof to the ground on one or more sides, you'll need 2 panels to cover the approximate 8' height.
- Lattice Privacy Panel(s) can be made long enough to fit between the posts of a 20' roof side (after taking into account the 1' overhang beyond the posts and the width of the posts, this leaves up to a 17' 1" distance you can cover with any of our Privacy Panel options). You have the option of adding as many panels as you like. We always prepare drawings prior to building any Pergola. So, you'll have time to review your initial selection and make any changes to be certain the Privacy Panels are located where you'd like and that they are the correct height and height off the ground, etc.
- When ordering Lattice Privacy Panels, please let us know in the Comments Box at checkout the height off the ground you'd like the bottom of your panel(s) to be we'll drill installation holes in the posts to achieve the height you specify. If no height is specified, we'll ship your posts without holes so you can determine the best height during installation.

2. You can add Shutter Panels to your Pergola or Pavilion:

We can build your Privacy Panels as shutters. The shutters sections open in and the bottom half of the wall is usually a solid wood panels as shown. Shutters are fixed and do not open and close. Shutter panels are normally made full length from 6 inches above the ground to the height of the first timber in the roof or 8' total height. The shutter privacy option is also available in a half height panel and in a full height panel that is all shutters. If you require a different option/combo or total height, let us know.



Shutters Panels

3. You can add Louvered Panels for you Pergola or Pavilion:

We can build your privacy panels as louvers. You can have louvers installed for your Pergola for maximum flexibility in terms of light allowed in and privacy. Louver panels are made up to 8' tall and the louvers normally begin 6" off the ground. We offer the panels with louvers only or with louvers the top half and a solid wall below. You can also just order a half height louver panel (48" H) only. If you require louvers of a special size or shape, please let us know. If you would like to combine louvers and shutters or any other custom request, you can add these custom details during the drawing process of your shade structure order.



Louvers Open



Louvers Closed

D. Pavilion Height (Post size)



The standard pavilion height is usually 9ft. and 90% of our installations are this height. Attached to ground level a 9ft post will create an 8' 4" ceiling height under the rafters. We also offer post lengths of 8.5 ft., 9.5ft and 10 ft. Note for any of these your ceiling height will be 8 inches less than the post size selected.

For this size or any custom length, just note the size you want in the Comments/Special Request section. We'll contact you if it changes the pricing of your pavilion.

E. Electrical Wiring Trim Kit

If you plan to run wiring to add lights or a fan or two to your Structure, we can add a cutout to your timbers and add a trim piece that will hide the electrical wiring beneath it (see drawings). The trim is centered on the interior side of the Post and or is added to Roof Supports. It is attached with finish nails for a smooth finish.

If you only want to add it to just one or two posts, please let us know in the Comment box which posts you'd like them on. They will be included in your Structure drawings that will be emailed to you within 3 business days of receiving your product order. At that point, you can make any adjustments in case the trim was place on the wrong post or posts.



F. Pavilion Post Anchoring

All posts should be attached to the ground. Below are the most common scenarios.

To anchor the posts, you need metal anchors and bolts. Our anchor kits, whether for concrete or wood decks come with everything you need to attach your structure securely.

1. Option 1: Standard Anchor Kit






The metal anchors sit on the surface and are attached using either 4 anchor bolts (for concrete) or 4 lag bolts (if you attaching to a wood deck). The posts sit on the anchors and are attached to the anchors with lag bolts provided. A wood trim box is included to hide the metal from view. See anchor kit installation images below.

For paver patios and flagstone patios we don't recommend attaching directly to these surfaces because you may have issues of cracking or movement long term. Instead we recommend installing footings (concrete foundations for the posts) to make sure you have zero issues long term.

If you are placing the Pavilion on a paver patio, flagstone, or undeveloped ground, we recommend digging holes 30" deep (in snow areas adjust depth to go below the frost line by 6") and placing cardboard Sono tubing in the hole up to ground level (see anchorage table 1 to know the diameter). Then add some metal and rebar and pour concrete flush to ground level (or level with the walking surface area of your paver or flagstone patio). Allow up to 7 days for the concrete to cure before attaching metal anchors at the top of the concrete pour (see below).

By going with a 12-inch diameter concrete pour, when you finish attaching the posts to the anchors and adding the trim, the posts at the base with the trim box included wind up being 8 1/2"W x 8 1/2"L x 10"H and they hide the concrete from view from above. The posts with the trim boxes will look like they are just sitting on the ground or the flagstone or pavers. You can buy anchors at your local hardware store, but we do not recommend it because if you set the anchors in the concrete pour and they are not exactly on center to the fraction of an inch, your installation will not go smoothly. By using our anchor kit, if your concrete pour is off by a half inch or so, you can always place the anchor a bit off the center of the concrete pour at installation to compensate.

If you do not want the posts in the weather and do not mind being able to see the concrete from below, pour the concrete half an inch above ground level.

				
<p>STEP 1: Place the anchor where it will be installed; mark the ground as shown.</p>	<p>STEP 2: Drill for holes as shown 1/2" wide hole 4" deep and hit down the anchor bolts (1/2" x 4") with a hammer. Then take off the nut before you place the metal anchor (note: for wood deck use lag bolt).</p>	<p>STEP 3: Place and attach metal anchor to concrete with anchor bolt (1/2" x 4") and place the post.</p>	<p>STEP 4: Attach post to metal anchors with lag bolts (5/16" x 3").</p>	<p>STEP 5: Place the wood boots over the anchors, fixed it with the screws.</p>

The photos above show the 5 simple steps to follow once your surface below the Structure is in place. Choose the anchor kit for the appropriate surface:

- **Stone, Brick or Concrete - Anchor Bolts (1/2")** for attaching to stone, brick, or concrete.
- **Wood (e.g., Wood Deck) - Lag Bolts (3/8")** for attaching to a wood deck.

Read more about anchoring your Pavilion in our [FAQ, including the best grade of wood to choose for your climate.](#)

More technical details:


Ideally Confirm your Structure Drawings prior to laying foundations – especially for paver or flagstone patios.

By confirming your Structure drawings first, you may realize that you overlooked something or you may want to make a change that will affect the length or width. For example, for a standard 10' x 12' Arched Pavilion, the posts are recessed back 12 inches from the edge of the roof. This places your posts at 8' x 10' to the outside 4 corners of the posts and at 7' 6 1/2" x 9' 6 1/2" on center. If you are certain this is what you want, you can do the footings before ordering your Structure and before you receive your drawings for your order (all Structure orders receive drawings within 3 business days for your review to give you the time and tool to make last minute adjustments before building). Often, when customers see their drawings, they decide to change some detail like adding a bit more space between the posts or you may want to add a foot or two to the length or width.

If you are in the process of laying a foundation for a Structure that will require footings (recommended for flagstone or paver patios), it is best to have the design of the structure confirmed so you or your contractor can incorporate footings in the exact location (see descriptions of footing above).

Once footings are installed you will not be able to move the post position after reviewing the drawings without causing yourself an unnecessary headache.

Paver or Flagstone Patio Installation details - If you are placing your Structure on a paver patio, pour the concrete to be level with the finished pavers. This way, after adding the trim, the bottom of the trim will rest atop the pavers seamlessly. Since the paver patio is usually a few inches above grade, you may have to pour a bit higher than on undeveloped ground to get the post height to line up exactly with the paver height.






If you decide to order the Anchoing Kit you'll have all the hardware you need and will not need anything from the hardware store if you are attaching to an existing deck. If building on undeveloped ground, just add the concrete and a bit of rebar as described above. Choose the anchor kit for the appropriate surface either wood decking or stone, brick or concrete surfaces.

2. Option 2: Gale-Wind Anchor Kit

Gale Wind Anchors are recommended for installations where strong winds of up to 80 mph are expected occasionally. It is not recommended for hurricane areas. Each structure order includes drawings for concrete installation instructions. The Gale Wind Anchors are normally installed in a 30-inch-deep concrete pour, please see the table 1 and make the footings depending of the dimensions of the posts:


Note: In areas where the ground freezes, please go 6 inches below your frost line with the concrete pour.

		
<p>Gale Wind Anchor Kit</p>	<p>Place the anchors in wet concrete. The rebar of the anchors must be at least 2" away from the edge of the footing.</p>	<p>Attach post to anchors with 5/16" x 3" lag bolts, add the trim boxes at the bottom of the posts to hide the anchors.</p>

Anchorage Table

Posts	Steel Bar Diameter	D	H	Base Steel Gauge	H2
3 3/4" x 3 3/4"	1/2"	10"	8"	3/16"	6"
5 1/2" x 5 1/2"	1/2"	14"	10"	3/16"	8"
7 1/4" x 7 1/4"	5/8"	16"	12"	1/4"	8"
9 1/4" x 9 1/4"	5/8"	18"	14"	1/4"	10"
11 1/4" x 11 1/4"	5/8"	20"	16"	1/4"	10"

3. Option 3: Hurricane Wind Anchor Kit



Anchorage Table

Posts	Steel Bar Diameter	D	H	Anchor Base Steel (PTR)	PTR Gauge
3 3/4" x 3 3/4"	1/2"	12"	12"	4" x 4"	3/16"
5 1/2" x 5 1/2"	1/2"	16"	15"	6" x 6"	3/16"
7 1/4" x 7 1/4"	5/8"	18"	18"	8" x 8"	1/4"
9 1/4" x 9 1/4"	5/8"	20"	20"	10" x 10"	1/4"
11 1/4" x 11 1/4"	5/8"	24"	24"	12" x 12"	1/4"

Note: At least 2" clearance between edge and steel to be filled by concrete.

We have installed our structure in Hurricane areas with the Hurricane Wind Anchor kit shown above. It is rated to withstand winds of up to 110 miles per hour. The Hurricane Wind Anchors are normally installed in a 30-inch-deep concrete pour (**or 48" if your posts are 9 1/4" x 9 1/4" or 11 1/4" x 11 1/4"**) and place a significant portion of the anchor in concrete underground as shown in the drawings above. For best results, we recommend doing the concrete work at least 3 days ahead of the Structure install so the concrete will cure prior to attaching the Structure to it. You then place the wood posts in the cradle and bolt the wood to the anchor. We supply wood trim pieces to hide the metal hardware completely so the bottom of the posts looks like they have a wooden boot around them when installation is complete.

Note: If your Structure is placed in a snow area, the concrete must be 6 inches below the frost line.

G. Post Decorative Trim



Standard




Vertical



Horizontal

H. Ceiling Fan Base



Ceiling Fan Base Drawing



Ceiling Fan Base



Roof Fan



Pavilion with 2 Ceiling Fan Base

Attach the Ceiling Fan base between the rafters with 4 bolts (two per side). The paddle fan is usually placed in the center of the Pavilion's ceiling, but of course, you can place it almost anywhere you have sufficient head space.

Many customers have told us that by far the best manufacturer is a company out of Kentucky called the **Big Ass Fan** Company. Funny name, great fans. They move a lot of air, are quiet and are probably the best in the business.

I. Curtain Rods

We can add our oversized Curtain Rods with strong steel hangars. The hardware to attach your curtain rods is included. The rods are made 2 ¾" in diameter so they can take plenty of abuse over the years.



Curtain Rods



Curtain Rods with Metal Hardware

J. Privacy Panels Quantity


You can choose from 1 to 5 panels depending on the size of your Pavilion.

Each individual privacy panel can be either up to 48" tall or full length depending on the selection you make from the drop down menu.

The privacy panels bolt to the sides of the posts and span the entire length between posts regardless of the size of your structure. Order the amount of panels you need to bolt between posts.


If you choose a structure that exceeds 20' on any side, you will need a total of 3 posts for that side and 2 privacy panels for that side.

For sizes between 8ft to 20ft Support Length, you can choose up to 3 of privacy panels options to install between posts.



Top View of a Structure with 4 Posts and 3 Privacy Panels.


For sizes between 20ft to 40ft Support Length you can choose up to 5 of privacy panels options to install between posts.



You can configure it how you wish or you need. Keep in mind we will prepare detailed drawings of your order and you will have ample time to fine tune all details including the privacy panel placement and sizing.


1. Lattice Privacy Panels

If you want a Lattice Privacy Panels for your structure, you can choose between one of 2 options below.




2. Shutter Privacy Panels

If you want a Shutter Privacy Panels for your structure, you can choice between 3 options, 2 of them can be reviewed with the drawings below.



3. Louver Privacy Panels

If you want a Louver Privacy Panels for your structure, you can choose between one of 3 options below.



K. Finish Options

All our furniture ships finely sanded to 220 grit for a smooth to the touch finish.

The most popular finish is our Transparent Premium Sealant. This sealant leaves your furniture looking natural and helps keep the beautiful wood surface colors from fading for several years. We use Sikkens brand finishes because they are the best finishes on the market. For more information about our finishes and how to keep your furniture looking great year after year, please go to: [Care & Finish](#).

Unfinished (fine sanding only):



If you are applying your own stain or want the surface color to fade to a "weathered look" in a few months. We do not recommend you leave your furniture unfinished outdoors for any extended period regardless of wood quality. Outdoor weather changes constantly and it is best to at least seal the wood to protect it from consistently absorbing and losing moisture.

Transparent Premium Sealant - Recommended for Outdoors:

Below are the 5 grades of wood we offer with the Transparent Premium Sealant applied. The color tones shown are close representations of the color your furniture will look like. There is no extra charge for the Transparent Premium Sealant:



We also offer the Transparent Premium Sealant with the following stains. There is a small charge for adding these stains because it increases the total amount of coats to 4 with the sealant as the final coats:





Here is how the Coffee Stain looks like on Redwood



Here is how the Cherry Stain looks like on Redwood



Here is how the Black Premium Stain looks like on Redwood



Here is how the White Wash looks like on Redwood

Tiger Stripe Effect

Douglas-Fir when stained dark creates a "tiger stripe" effect as shown in this photo. It is beautiful and most customers love it. If you are looking for a dark consistent stain and do not want to see a "tiger stripe effect", please go with any of the Redwood grades for a more consistent stain finish.



Primers

- **Off-White Oil-Based Primer:** If you are painting a light color. We apply two coats so that it is ready for one final coat.
- **Gray Oil-Based Primer:** If you are painting a darker color. We apply two coats so that it is ready for the final coat.

III. ASSEMBLY & CARE

Assembly Instructions for: [Attached Pavilion Kit \(Backyard Roof Style - With Ledger Board\)](#)
Assembly Instructions for: [Attached Pavilion Kit \(Backyard Roof Style - With Metal Plaques\)](#)
Assembly Instructions for: [Attached Pavilion Kit \(Del Norte Roof Style - With Ledger Board\)](#)
Assembly Instructions for: [Attached Pavilion Kit \(Del Norte Roof Style - With Metal Plaques\)](#)
Assembly Instructions for: [Attached Pavilion Kit \(The Stoa Roof Style - With Ledger Board\)](#)
Assembly Instructions for: [Attached Pavilion Kit \(The Stoa Roof Style - With Metal Plaques\)](#)
Assembly Instructions for: [How to Anchor Your Pavilion](#)

Assembly

Assembly is a 1-day process. Each pavilion is preassembled in our shop and all parts are clearly labeled and a step by step installation guides is included.

Installation Help

Though we think just about anyone could follow our instruction and install a pavilion, we understand if that's not for you. If you would like help, [contact us](#). We have our own team for installations in California, Nevada and Southern Arizona. We also have a network of local contractors we recommend for locations farther afield.

If you have assembly questions, email or call us. And, in the unlikely event a part arrives broken, let us know and we will quickly ship a replacement part.

Care: Your Forever Redwood Furniture will last for decades in year-round weather without maintenance.

Depending on the wood grade you choose, even with harsh year-round outdoor conditions, you can expect your furniture to last from ten to forty years without maintenance of any kind.

Being outside year round is rough on any woods finish. The surface absorbs UV rays, pollution, constant variations in moisture and temperature and it also oxidizes. This is why most wood just doesn't hold up and the surface color slowly changes towards a silver patina over the years. But, with Forever Redwood, you don't have to worry. The silver patina is surface deep only (less than 1/64") and is not indicative of decay. Your set will last decades and is not compromised in any way by the surface color change. For example, we keep our display items as is without refinishing to show off this natural aging (we like the patina!).

Although Forever Redwood is maintenance-free, we recommended you take a few minutes as needed to clean by either hosing down and/or brushing/dusting away accumulated debris (no soap or chemicals needed). If you'd like to keep your set looking its best for decades, please go to: [Care and Finish](#).

Keep the colors looking vibrant for decades

A quick power washing every 5 to 10 years clears away the accumulated grim, UV surface burning and the old sealant in a few minutes. When power washing be careful not to spray close to the surface or you may cut into the grain of the wood. Once dry, go over any rough spots to smooth out and ready for sealing. You'll need \$2 and 10 minutes to do it. Pick up 2 sheets of sandpaper (one 100 grit and one 220 grit). Go over the spots with 100 grit for ten strokes or so and dust off. Then do the same with the fine 220 grit. Redwood sands easily. Dust off and you're ready for sealing.

For best results, sand in the direction of the grain (same direction of the growth lines in the wood). For example, on a picnic tabletop, sand in the lengthwise direction of the boards. After sanding, choose any stain/sealant you like. Redwood takes well to most.

IV. MATERIALS

The secret to outdoor longevity begins and ends with the wood. We use generous amounts of the most decay resistant wood available. We encourage our customers to compare photos of our items side by side with any competing product. Thickness counts. Furniture that is thin and light simply won't last in the year round weather.

To keep your furniture beautiful, we use only stainless steel hardware and the highest quality stains and sealants. We use only the Sickens brand of sealants.

Our primary customer has always been the homeowner that appreciates spending a bit more for quality that will last decades.

Our products are installed with organizations that appreciate longevity like the U.S. Forest Service, U.S. military installations, State and City parks, golf clubs and hotels.

We are favored by many landscape architects and contractors because they can count on exceptional quality and quick personal service to complete projects.

We build each item by hand. This insures your set is finely finished and carefully inspected. Old-fashioned hand building also allows us to adjust the size or design of any item to fit your needs.

Because we are a forestry company, we can offer 5 exceptional wood grades to choose from our carefully managed forests with warranties of up to 30 years against decay in any weather. [Click for more about our 5 wood grades.](#)

V. WARRANTY

Wood decay is warrantied up to 30 years depending on the wood grade. No other outdoor furniture manufacturer has warranties like this. The key is the excellent quality of our wood and the extra-thick timber designs of all our pieces.

Wood Grades and Decay Warranty:

- Douglas-fir: 10 years
- Mosaic Eco-Wood: 10 years
- Redwood: 15 years
- Mature Redwood: 20 years
- Old-Growth Redwood: 30 years

Forever Redwood stands behind its products. We are committed to quickly resolving any issues that might occur. For more information please see our [Warranty](#) page.

VI. SHIPPING

We offer 4 Shipping Options in the U.S.:

- Rush Shipping (ships in 2 weeks).
- Priority Shipping (ships in 4 weeks).
- Standard Shipping (ships in 6 weeks).
- Free Shipping in the Continental U.S. (ships in 10 weeks).

Notes for Orders requiring drawings or approvals:

All Shade Structure orders (Pergolas, Pavilions, Gazebos and Arbors) require drawings to make sure all details are agreed upon prior to building and to give our customers the ability to customize their structures to meet their needs. We also sometimes make custom changes to Swings, Planters, Benches, Tables and other standard production items per customer requests. If your order has a custom detail or is a shade structure, you will receive your first drawings via email within 5 business days of receiving your completed order with a deposit.

We will go back and forth with you as needed to fine tune the design to your liking prior to building it. Once you sign off on your drawings, your timeline for shipping will begin. Please keep this in mind. If you need a Rush Order and also drawings, it is best you call in your order so that we can organize ourselves to both complete your drawings on an expedited basis and meet your shipping deadline.

Yes, you can have free shipping plus save 3% off your order! We carefully hand build each Forever Redwood item. When you choose a longer ship out date, you give us more time to build. This lowers our cost and we pass the savings to you. If you choose the Wait & Save Shipping option and prefer we ship out on a specific date (up to 6 months in advance), just enter the date in the Comment Box at Checkout. If no note is included, we'll ship in 3 months.

Orders ship from San Diego, CA. Add 3 to 6 business days transit time (depending on location).

We ship to any country. Canada orders ship in 6 weeks. To see Canadian shipping costs, just add item to cart.

For orders outside the U.S. or Canada, just enter your country in the shipping information section at checkout or in the shopping cart to see your freight cost. We ship outside the U.S. or Canada in 6 weeks. For all international shipments, the shipping companies handle any customs paperwork and then contact you to arrange delivery.

Assembly Service Available Nationwide: All orders over \$3,000. in size can choose to have Forever Redwood assemble for you. Just choose White Glove Service in the Shopping Cart or at Checkout. For more information on White Glove, please go to: [WHITE GLOVE](#).



If your artistically inclined, the crating makes a great canvas to:
Lion of the Tribe of Juda by Patricia Vallejo



Some of the ugly guys from our install crew that will scare your children when they come install your order!